

Nationale Institute of Public Health

Šrobárova 49/48, 100 00 Prague 10

issues

CERTIFICATE OF SAFETY

We hereby confirm that the ingredients and results of laboratory test of the Food Supplement

BrainMax® Liposomal Vitamin C

**Applicant: BRAINMARKET s.r.o., Hladnovská 83/93, 712 00 Ostrava,
Czech Republic**

complies

with Czech Food Law No 110/1997, Decree No 58/2018 on Food Supplements and the composition on foodstuffs, Regulation (EU) No 1169/2011 on the provision of food information to consumers, Regulation (EC) No 1925/2006 of EP and C on the addition of vitamins and minerals and certain other substances to foods, Commission Regulation (EC) No 1170/2009 sets the list of vitamin and minerals and their forms that can be added to foods, including food supplements and Commission Regulation (ES) No 915/2023 setting maximum levels for certain contaminants in foodstuffs

Supplementary information:

Product was assessed and registred by NIPH Prague

(Čj. SZÚ/04833/2025, EX 250351 from 26.5.2025)

and tested by the accredited laboratories of the National Institute of Public Health Prague, Testing Laboratory No 1206, Šrobárova 49/48, 100 00 Prague 10, Czech Republic


Protocol No 4/25/097, No 5/25/16-18, No 183/25/04833


Certificate was issued by NIPH on the request of the applicant.

Validity of the Certificate till 30.5.2028

The number of Certificate: 183-091/25

Date and place of issue: 30.5.2025


Daniela Winklerová, M.Sc.
Head of Unit for Special
Kinds of Food


Hana Bendová, M.Sc., Ph.D.
Head of Centre of Toxicology
and Health Safety

Analytical report AR-24-HD-039582-04



Testing laboratory:

Eurofins Food & Feed Testing Czech Republic s.r.o.
Zkušební laboratoř EUROFINS CZ
Radiová 1285/7
102 00 Praha 10 - Hostivař
IČO: 27449408
tel.: +420 778 488 111 E-mail: ClientService.cz@ftcee.eurofins.com

Customer:

BRAINMARKET s.r.o.
Hladnovská 83/93
SLEZSKÁ OSTRAVA - MUGLINOV
712 00 OSTRAVA
CZECH REPUBLIC

Issue date 09.12.2024

Sample code 540-2024-00060022

Sample reception date: 06.11.2024
Date of Testing 06.11.2024 - 28.11.2024

Sample information:

Sample name, extended: ¹⁾ BrainMax Liposomal Vitamin C UPGRADE, Lipozomální Vitamín C, 500 mg, 60 rostlinných kapslí
Sample description: ¹⁾ 005-32407-191645
Client Purchase order nr.: BrainMax Liposomal Vitamin C UPGRADE
Order date: 05.11.2024
Client sample code: ¹⁾ 98297
Sampler: Customer
Additional sample description: šarže 312446

Physical and chemical tests

Parameter	Unit	Result	Uncertainty of measurement *	Method	Method principle	TZ
Brutto sample weight of supplied sample	g	410	2%	SOP MB.005.PB	Gravimetry	A
Capsule weight, whole	g/Capsule	0.915		Ph. Eur. 3th Ed., 1997, 2.9.5, 1315.01	Gravimetry	SN
Capsule weight, content only	g/Capsule	0.797		1315.07	Gravimetry	SN
Vitamin C	mg/Capsule	562	56,2	ISO 20635:2018	LC-DAD	SA
.						

Parameter	Unit	Result	Uncertainty of measurement *	Method	Method principle	TZ
Testing performed on capsule content		Yes			Testing on sample content	SN

Decision rule: If the testing laboratory issues a statement of conformity, the decision-making rule according to ch. 4.2.1 of ILAC document G8:09/2019 Guidelines for the use of decision rules and statement of conformity. In such a case, the measurement uncertainty is not taken into account for the conformity statement. If measurement uncertainty is included the decision, this information is included in the statement of conformity. In such a case, proceed according to chap. 4.2.3 ILAC G8:09/2019.

Notes: SOP, ŠPP - Standard operation procedure
ND - not detected by given method
CFU - Colony forming unit
NM - necessary quantity
SN - subcontracted not accredited test
* - the expanded measurement uncertainty, as determined by the extension coefficient $k = 2$ (with a 95% probability), does not include sampling uncertainty; if the measurement uncertainty is expressed in %, it is its relative value
LOD - limit of detection, LOQ - limit of quantification, result between LOD and LOQ = detected
¹⁾ - Information supplied by customer
Unless otherwise stated in the notes, the place of the tests performance is workplace No. 1 - Prague - of EUROFINS CZ testing laboratory.

If the information supplied by the customer could have be to affect the validity of the results, the laboratory disclaims responsibility. For samples supplied by the customer, the results relate to the sample as received and provided by the customer. The measuring devices and gauges used for the test / tests have been calibrated and verified according to valid metrological regulations. The results of the measurements relate only to the subject of the tests and do not replace other documents, e.g. of an administrative nature. The result identified as subcontracting in this protocol is the result of subcontractor measurements based on contract, order. The protocol may be reproduced or incorporated into promotional materials only with the written consent of the EUROFINS CZ Testing Laboratory and only to the extent of such approval. Any alteration, reproduction of part of the test report is not permitted and such analytical report automatically becomes invalid. The authenticity and completeness of the report can be verified at the EUROFINS CZ test laboratory stated in the header of analytical report. This Test Report has been issued in accordance with the applicable Conditions of service available on request and accessible at www.eurofins.cz.

Responsible for correctness: Jitka Pinkrová

Worked out by: Pavlína Hejduková

No. of document: 20241298128873

Validity check of document

[h](#)



Test Certificate approved by:

Jitka Pinkrová

Head of Laboratory

