



Test Reports

BrainMax® WOMEN MULTIVITAMIN

BrainMax® WOMEN MULTIVITAMIN

Quality Declaration – Composition per Dose (3 Capsules)				Laboratory Analysis				
Active Substances	Quantity of Active Substances per Dose	Measurement Unit	*DV	Analytical Result				Comment
				Measured Value	Measurement Uncertainty	Result	Page*	
Evening Primrose Oil	350	mg	**					
Vitamin C (Liposomal Vitamin C)	200	mg	250%	187	15%		3-4	
Magnesium (Magnesium Bisglycinate)	150	mg	40%	176	20%		5-6	
Calcium (Aquamin Calcium / Aquamin F)	120	mg	15%	126	20%		7-8	
Alpha-Lipoic Acid	100	mg	**					
Potassium (Potassium Citrate)	100	mg	5%	99	20%		9-10	
Vitamin E (d-Alpha-Tocopherol)	100	mg	833%	137	15%		11-12	
Ashwagandha Extract (2% Withanolides)	75	mg	**					
Bamboo Extract (75% Natural Silica)	50	mg	**					
Dong Quai Extract	50	mg	**					
Wild Yam Extract	50	mg	**					
Vitamin B5 (Calcium Pantothenate)	40	mg	666%	39	20%		13-14	
Kelp Powder (Source of Iodine)	33,3	mg	**					
Vitamin B2 (Riboflavin)	20	mg	1428%	19	16%		15-16	
Vitamin B1 (Thiamine HCl)	20	mg	1818%	27	16%		17-18	
Coenzyme Q10	20	mg	**	23	20%		19-20	
Vitamin B3 (Niacinamide)	20	mg	125%	19	30%		21-22	
Vitamin B6 (Pyridoxal-5-Phosphate)	20	mg	1428%	16	14%		23-24	
Zinc (Zinc Bisglycinate)	15	mg	150%	16	20%		25-26	
Iron (Ferrous Bisglycinate)	8	mg	57%	12	20%		27-28	
Lutein	5	mg	**					
Boron (Boron Glycinate)	2	mg	**	1,6	20%		29-30	
Manganese (Manganese Bisglycinate)	2	mg	100%					
Copper (Copper Citrate)	1	mg	100%	1	20%		31-32	
Vitamin A (50% Retinyl Acetate and 50% Beta-Carotene)	500	mcg	62,50%	210	15%		33-34	retinol 250 mcg
Vitamin B9 (Calcium L-5-Methyltetrahydrofolate)	480	mcg	240%	400	20%		35-36	
Vitamin H (Biotin)	300	mcg	600%	339	30%		37-38	
Chromium (Chromium Picolinate)	100	mcg	250%	98	20%		39-40	
Selenium (Selenomethionine)	100	mcg	182%	131	20%		41-42	
Vitamin B12 (Methylcobalamin)	100	mcg	4000%					
Vitamin K2 (MK-7 K2VITAL® DELTA)	80	mcg	107%					
Molybdenum (Molybdenum Glycinate)	50	mcg	100%					
Vitamin D3 (Cholecalciferol)	25	mcg	500% (1000 IU)	17	30%		43-44	

*Page in the Test Report

DÁVKOVÁNÍ / SERVING: 3 kapsle denně s jídlem / 3 capsules daily with food.

SLOŽENÍ / INGREDIENTS: Populový olej (350 mg RHP **), Vitamin C (kyselina L-askorbová, liposomální fosfolipidová směs) (200 mg RHP 250%), Hořčík bisglycinát (150 mg RHP 40%), Vápník (z Aquamin®) (120 mg RHP 15%), Kyselina alfa-lipoová (100 mg RHP **), Draslík (z citrátu draselného) (100 mg RHP 5%), Vitamin E (jako d-alfa tokoferol) (100 mg RHP 833%), Ashwagandha extrakt z kořene (75 mg RHP **), Extrakt z bambuzu (50 mg RHP **), Andělíka čínská extrakt z kořene (50 mg RHP **), Extrakt z Wild Yam (Sildénec chlupatý) (50 mg RHP **), Kyselina pantothenová (vitamin B5) (z pantothenátu vápenatého) (40 mg RHP 666%), Riboflavin (vitamin B2) (20 mg RHP 1428%), Thiamin (vit. B1) (z thiaminu HCl) (20 mg RHP 1818%), Coenzym Q10 (20 mg RHP **), Mangan (z bisglycinátu manganu) (2 mg RHP 100%), Měď (z citrátu měďnatého) (1 mg RHP 100%), Folát (jako vápenatá sůl L-5-methyltetrahydrofolátu) (480 mcg) (480 mcg kyselina listová, RHP 240%), Vitamin A (50 % beta karoten 50 % retinylacetát) (500 mcg RHP 62,5%), Biotin (300 mcg RHP 600%), Chrom (z pikolínátu chromitého) (100 mcg RHP 250%), Jód (z řasy) (100 mcg RHP 67%), Selen (z glycinátu selenu) (100 mcg RHP 182%), Vitamin B12 (methylcobalamin) (100 mcg RHP 4000%), Vitamin K2 (jako MK-7 K2VITAL DELTA) (80 mcg RHP 107%), Molybden (z glycinátu molybdenu) (50 mcg RHP 100%), Vitamin D3 (25 mcg - 1000 IU) RHP 500%, Rostlinná kapsle HPMC. Bez palmových olejků (sáčků) / HPMC Capsules. Ballist-free.

SKLADOVÁNÍ / STORAGE: Při pokojové teplotě, na suchém a tmavém místě. / At room temperature, in a dry and dark place.

UPOZVĚDĚNÍ / WARNING: Doplněk stravy, který nenahrazuje pestrou stravu. Ukládejte mimo dosah dětí. Vyrobeno není určen pro děti, těhotné a kojící ženy. Nepřekračujte doporučené denní dávkování. Dodržujte zdravý životní styl. / The product is not intended for children, pregnant and breastfeeding women. Do not exceed the recommended daily dosage. The product is not intended as a substitute for a varied diet. Maintain a healthy lifestyle.

HMOTNOST / WEIGHT: viz. dno lahve. / see the bottom of the bottle.

Balení obsahuje 30 dávek. / The package contains 30 servings.

DISTRIBUČNÍK: Vitamax s.r.o., Hladnovská 83, Ostrava 712 00, Czech Republic.
Minimální tržební číslo / šarže: Best before / batch number

BrainMax® WOMEN

MULTIVITAMIN

Doplněk stravy | 90 kapslí
Dietary supplement | 90 capsules

Ingredient	Amount	RHP*
Evening Primrose Oil	350 mg	250%
Vitamin C (L-ascorbic acid, liposomal phospholipid mixture)	200 mg	40%
Magnesium (from Magnesium Bisglycinate)	150 mg	10%
Calcium (from Aquamin®)	120 mg	5%
Alpha Lipoic Acid	100 mg	833%
Potassium (from Potassium Citrate)	100 mg	5%
Vitamin E (as d-alpha-Tocopherol)	100 mg	833%
Ashwagandha extract (root)	75 mg	5%
Bamboo extract (Bambusa vulgaris) (min. 70% Silica)	50 mg	5%
Dong quai extract (Angelica sinensis) (root)	50 mg	5%
Wild yam extract (Dioscorea villosa)	50 mg	5%
Pancreatic Acid (Vitamin B5) (from Calcium Pantothenate)	40 mg	666%
Riboflavin (Vitamin B2)	20 mg	1428%
Thiamin (Vit. B-1) (from Thiamin HCl)	20 mg	1818%
CoQ10	20 mg	5%
Niacin (Vitamin B3) (from Nicotinic Acid)	20 mg	125%
Vitamin B6 (Pyridoxal-5-Phosphate (P-5-P))	20 mg	1428%
Zinc (from Zinc Bisglycinate)	15 mg	150%
Iron (from Ferrous Bisglycinate)	8 mg	57%
Lutein	5 mg	5%
Boron (from Boron Bisglycinate)	2 mg	5%
Manganese (from Manganese Bisglycinate)	2 mg	100%
Copper (from Copper Citrate)	1 mg	100%
Calcium (as L-5-methyltetrahydrofolate calcium salt) (600 mcg)	480 mcg	240%
Vitamin A (50 % beta karoten 50 % retinyl acetate)	500 mcg	62.5%
Biotin	300 mcg	600%
Chromium (from Chromium Picolinate)	100 mcg	250%
Lysine (from Lysine)	100 mcg	67%
Selenium (from Selenium Glycinate)	100 mcg	182%
Vitamin B12 (Methylcobalamin)	100 mcg	4000%
Vitamin K2 (as MK-7 K2VITAL DELTA)	80 mcg	107%
Molybdenum (from Molybdenum Glycinate)	50 mcg	100%
Vitamin D3	25 mcg (1000 IU)	500%

*Referenční hodnota příjmu. / Daily Value
**Referenční hodnota příjmu není stanovena. / Daily Value not established.



CERTIFICATE OF ANALYSIS

Work Order	: FP2508335-AD	Issue Date	: 27-Jun-2025
Client	: BRAINMARKET s.r.o.	Laboratory	: ALS Czech Republic, s.r.o.
Contact	: Matěj Veselý	Contact	: F&P Client Service
Address	: Hladnovská 83/93 Muglinov 712 00 Ostrava	Address	: Na Harfe 336/9 Prague 9 - Vysocany 190 00 Czech Republic
E-mail	: ----	E-mail	: czsupport.food@alsglobal.com
Telephone	: ----	Telephone	: +420 226 226 998
Project	: Stanovení hladiny účinné látky u Liposomálního vitamínu C v produktech Brainmax	Page	: 1 of 2
Order number	: 20250307	Date Samples Received	: 10-Mar-2025
		Quote number	: FP2025ROSHO-CZ0001 (CZ-114-25-5010)
Site	:	Date of test	: 10-Mar-2025 - 21-Mar-2025
Sampled by	:	QC Level	: ALS CR Standard Quality Control Schedule

General Comments

This report shall not be reproduced except in full, without prior written approval from the laboratory. The laboratory is not responsible for the sample data supplied by the customer and their impact on the validity of the result. The laboratory declares that the test results relate only to the listed samples. If "ALS" is not included in the test report in the "Sampled by" section, then the results refer to the sample as received.

Responsible for accuracy

Testing Laboratory No. 1163
Accredited by CAI according to
CSN EN ISO/IEC 17025:2018

Signatories

Kateřina Hubáčková

Position

Site Manager Food



GMP+ Registered Laboratory-GMP050490

The company is certified according to ČSN EN ISO 14001 (Environmental management systems) and ČSN ISO 45001 (Occupational health and safety management systems)

Sample Information

No. of samples received : 1
No. of samples analysed : 1

Date Samples Received
10-Mar-2025 09:00

When sampling date is not provided by the client, the laboratory determines it for procedural reasons, then it is equal to the date of receipt of the sample to the laboratory and is displayed in brackets.

Sub-Matrix : DIETARY SUPPLEMENT

Laboratory sample ID	Client sample ID	Client sampling date / time
FP2508335-004	Brainmax Women Multivitamin 312626	07-Mar-2025 08:10



Analytical Results

Sub-Matrix: DIETARY SUPPLEMENT				Laboratory sample ID		FP2508335-004		-----	
				Client sampling date / time		07-Mar-2025 08:10		----	
Parameter	Method	LOR	Unit	Result	MU	Result	MU	Result	MU
Vitamins									
Vitamin C (Ascorbic Acid)	B-VCLCP02	8.0	mg/kg	44000	± 15.0%	----	----	----	----

Measurement uncertainty is expressed as expanded measurement uncertainty with coverage factor k = 2, representing 95% confidence level.
Key: LOR = Limit of reporting; MU = Measurement Uncertainty. The MU does not include sampling uncertainty.

Brief Method Summaries

Analytical Methods	Method Descriptions
Location of test performance: Na Harfe 336/9 Prague 9 - Vysocany Czech Republic 190 00	
B-VCLCP02	CZ_SOP_D06_09_207 (CSN EN 14130:2004) Determination of vitamin C (ascorbic acid) by liquid chromatography method with PDA detection.

The symbol "*" for the method indicates a test outside the scope of accreditation of the laboratory or subcontractor. If the UNICO-SUB code is stated in the method table, this only informs that the tests have been performed by a subcontractor and the results are given in an annex to the test report, including information on test accreditation. If the lab used for matrix outside the scope of accreditation or non-standard sample matrix procedure specified in the accredited method and issues non-accredited results, this fact is stated on the title page of this protocol in the section "Notes". If the test report shows the results of subcontracting, the place of performance of the test is outside the laboratories of ALS Czech Republic, s.r.o.
The method for calculating of the summation parameters is available on request in the customer service.

The end of the certificate of analysis



CERTIFICATE OF ANALYSIS

Work Order	: FP2508622-AC	Issue Date	: 27-Jun-2025
Amendment	: 1		
Client	: BRAINMARKET s.r.o.	Laboratory	: ALS Czech Republic, s.r.o.
Contact	: Matěj Veselý	Contact	: F&P Client Service
Address	: Hladnovská 83/93 Muglinov 712 00 Ostrava	Address	: Na Harfe 336/9 Prague 9 - Vysocany 190 00 Czech Republic
E-mail	: ----	E-mail	: czsupport.food@alsglobal.com
Telephone	: ----	Telephone	: +420 226 226 998
Project	: Stanovení hladiny účinné látky u Bisglycinátu hořčičku chelat v produktech Brainmax.	Page	: 1 of 2
Order number	: 20250310_1	Date Samples Received	: 11-Mar-2025
		Quote number	: FP2025ROSHO-CZ0001 (CZ-114-25-5010)
Site	:	Date of test	: 11-Mar-2025 - 21-Mar-2025
Sampled by	:	QC Level	: ALS CR Standard Quality Control Schedule

General Comments

This report shall not be reproduced except in full, without prior written approval from the laboratory. The laboratory is not responsible for the sample data supplied by the customer and their impact on the validity of the result.

The laboratory declares that the test results relate only to the listed samples. If "ALS" is not included in the test report in the "Sampled by" section, then the results refer to the sample as received.

Amendment 1: added a comment. This Amendment 1 replaces the original report issued on 31.03.2025.

Sample FP2508622/003, method B-METAXDG1 - Total magnesium expressed as magnesium bisglycinate = 376000 mg/kg.

Responsible for accuracy

Testing Laboratory No. 1163
Accredited by CAI according to
CSN EN ISO/IEC 17025:2018

Signatories

Kateřina Hubáčková

Position

Site Manager Food



GMP+ Registered Laboratory-GMP050490

The company is certified according to ČSN EN ISO 14001 (Environmental management systems) and ČSN ISO 45001 (Occupational health and safety management systems)

Sample Information

No. of samples received : 1
No. of samples analysed : 1

Date Samples Received
11-Mar-2025 09:00

When sampling date is not provided by the client, the laboratory determines it for procedural reasons, then it is equal to the date of receipt of the sample to the laboratory and is displayed in brackets.



Sub-Matrix : DIETARY SUPPLEMENT

Laboratory sample ID	Client sample ID	Client sampling date / time
FP2508622-003	Brainmax Women Multivitamin 312508	10-Mar-2025 08:00

Analytical Results

Sub-Matrix: DIETARY SUPPLEMENT

Laboratory sample ID	FP2508622-003	-----	-----
Client sampling date / time	10-Mar-2025 08:00	----	----

Parameter	Method	LOR	Unit	Result	MU	Result	MU	Result	MU
Total Metals / Major Cations									
Magnesium	B-METAXDG1	3.0	mg/kg	53000	± 20.0%	----	----	----	----

Measurement uncertainty is expressed as expanded measurement uncertainty with coverage factor k = 2, representing 95% confidence level.
Key: LOR = Limit of reporting; MU = Measurement Uncertainty. The MU does not include sampling uncertainty.

Brief Method Summaries

Analytical Methods	Method Descriptions
Location of test performance: Na Harfe 336/9 Prague 9 - Vysocany Czech Republic 190 00	
B-METAXDG1	CZ_SOP_D06_09_001 (US EPA 200.7, ČSN EN ISO 11885, Determination of elements by atomic emission spectrometry with inductively coupled plasma and stoichiometric calculations of compounds concentration from measured values. Sample was homogenized and mineralized by acids and hydrogen peroxide prior to analysis.

The symbol "*" for the method indicates a test outside the scope of accreditation of the laboratory or subcontractor. If the UNICO-SUB code is stated in the method table, this only informs that the tests have been performed by a subcontractor and the results are given in an annex to the test report, including information on test accreditation. If the lab used for matrix outside the scope of accreditation or non-standard sample matrix procedure specified in the accredited method and issues non-accredited results, this fact is stated on the title page of this protocol in the section "Notes". If the test report shows the results of subcontracting, the place of performance of the test is outside the laboratories of ALS Czech Republic, s.r.o.
The method for calculating of the summation parameters is available on request in the customer service.

The end of the certificate of analysis



CERTIFICATE OF ANALYSIS

Work Order : FP2508621 **Issue Date** : 27-Jun-2025
Amendment : 1

Client : BRAINMARKET s.r.o. **Laboratory** : ALS Czech Republic, s.r.o.
Contact : Matěj Veselý **Contact** : F&P Client Service

Address : Hladnovská 83/93 **Address** : Na Harfe 336/9 Prague 9 - Vysocany
Muglinov 190 00 Czech Republic
712 00 Ostrava

E-mail : ---- **E-mail** : czsupport.food@alsglobal.com
Telephone : ---- **Telephone** : +420 226 226 998

Project : ---- **Page** : 1 of 2
Order number : 20250310_2 **Date Samples** : 11-Mar-2025
Received :
Quote number : FP2025ROSHO-CZ0001
(CZ-114-25-5010)

Site : **Date of test** : 11-Mar-2025 - 21-Mar-2025
Sampled by : **QC Level** : ALS CR Standard Quality Control
Schedule

General Comments

This report shall not be reproduced except in full, without prior written approval from the laboratory. The laboratory is not responsible for the sample data supplied by the customer and their impact on the validity of the result.

The laboratory declares that the test results relate only to the listed samples. If "ALS" is not included in the test report in the "Sampled by" section, then the results refer to the sample as received.

Amendment 1: added a comment. This Amendment 1 replaces the original report issued on 31.03.2025.

Responsible for accuracy

Testing Laboratory No. 1163
Accredited by CAI according to
CSN EN ISO/IEC 17025:2018

Signatories

Kateřina Hubáčková

Position

Site Manager Food



GMP+ Registered Laboratory-GMP050490

The company is certified according to ČSN EN ISO 14001 (Environmental management systems) and ČSN ISO 45001 (Occupational health and safety management systems)

Sample Information

No. of samples received : 1

Date Samples Received

No. of samples analysed : 1

11-Mar-2025 09:00

When sampling date is not provided by the client, the laboratory determines it for procedural reasons, then it is equal to the date of receipt of the sample to the laboratory and is displayed in brackets.

Sub-Matrix : DIETARY SUPPLEMENT

Laboratory sample ID	Client sample ID	Client sampling date / time
FP2508621-001	Brainmax Women Multivitamin 312257	10-Mar-2025 08:00



Analytical Results

Sub-Matrix: DIETARY SUPPLEMENT				Laboratory sample ID		FP2508621-001		-----	
				Client sampling date / time		10-Mar-2025 08:00		----	
Parameter	Method	LOR	Unit	Result	MU	Result	MU	Result	MU
Total Metals / Major Cations									
Calcium	B-METAXDG1	10	mg/kg	37900	± 20.0%	----	----	----	----

Measurement uncertainty is expressed as expanded measurement uncertainty with coverage factor k = 2, representing 95% confidence level.
Key: LOR = Limit of reporting; MU = Measurement Uncertainty. The MU does not include sampling uncertainty.

Brief Method Summaries

Analytical Methods	Method Descriptions
Location of test performance: Na Harfe 336/9 Prague 9 - Vysocany Czech Republic 190 00	
B-METAXDG1	CZ_SOP_D06_09_001 (US EPA 200.7, ČSN EN ISO 11885, Determination of elements by atomic emission spectrometry with inductively coupled plasma and stoichiometric calculations of compounds concentration from measured values. Sample was homogenized and mineralized by acids and hydrogen peroxide prior to analysis.
Preparation Methods	Method Descriptions
Location of test performance: Na Harfe 336/9 Prague 9 - Vysocany Czech Republic 190 00	
*B-RECALC-METAL	Recalculation

The symbol "*" for the method indicates a test outside the scope of accreditation of the laboratory or subcontractor. If the UNICO-SUB code is stated in the method table, this only informs that the tests have been performed by a subcontractor and the results are given in an annex to the test report, including information on test accreditation. If the lab used for matrix outside the scope of accreditation or non-standard sample matrix procedure specified in the accredited method and issues non-accredited results, this fact is stated on the title page of this protocol in the section "Notes". If the test report shows the results of subcontracting, the place of performance of the test is outside the laboratories of ALS Czech Republic, s.r.o.

The method for calculating of the summation parameters is available on request in the customer service.

The end of the certificate of analysis



CERTIFICATE OF ANALYSIS

Work Order	: FP2509072-AD	Issue Date	: 27-Jun-2025
Amendment	: 1		
Client	: BRAINMARKET s.r.o.	Laboratory	: ALS Czech Republic, s.r.o.
Contact	: Matěj Veselý	Contact	: F&P Client Service
Address	: Hladnovská 83/93 Muglinov 712 00 Ostrava	Address	: Na Harfe 336/9 Prague 9 - Vysocany 190 00 Czech Republic
E-mail	: ----	E-mail	: czsupport.food@alsglobal.com
Telephone	: ----	Telephone	: +420 226 226 998
Project	: Stanovení hladiny účinné latky Draslíku v Citrátu draselném v produktech Brainmax	Page	: 1 of 2
Order number	: 20250311	Date Samples Received Quote number	: 12-Mar-2025 : : FP2025ROSHO-CZ0001 (CZ-114-25-5010)
Site	:	Date of test	: 13-Mar-2025 - 21-Mar-2025
Sampled by	:	QC Level	: ALS CR Standard Quality Control Schedule

General Comments

This report shall not be reproduced except in full, without prior written approval from the laboratory. The laboratory is not responsible for the sample data supplied by the customer and their impact on the validity of the result.
The laboratory declares that the test results relate only to the listed samples. If "ALS" is not included in the test report in the "Sampled by" section, then the results refer to the sample as received.
Amendment 1: added a comment. This Amendment 1 replaces the original report issued on 31.03.2025.

Responsible for accuracy

Testing Laboratory No. 1163
Accredited by CAI according to
CSN EN ISO/IEC 17025:2018

Signatories

Kateřina Hubáčková

Position

Site Manager Food



GMP+ Registered Laboratory-GMP050490

The company is certified according to ČSN EN ISO 14001 (Environmental management systems) and ČSN ISO 45001 (Occupational health and safety management systems)

Sample Information

No. of samples received : 1
No. of samples analysed : 1

Date Samples Received
12-Mar-2025 14:00

When sampling date is not provided by the client, the laboratory determines it for procedural reasons, then it is equal to the date of receipt of the sample to the laboratory and is displayed in brackets.

Sub-Matrix : DIETARY SUPPLEMENT

Laboratory sample ID	Client sample ID	Client sampling date / time
FP2509072-004	Brainmax Women Multivitamin 310680	11-Mar-2025 08:10



Analytical Results

Sub-Matrix: DIETARY SUPPLEMENT				Laboratory sample ID		FP2509072-004		-----	
				Client sampling date / time		11-Mar-2025 08:10		----	
Parameter	Method	LOR	Unit	Result	MU	Result	MU	Result	MU
Total Metals / Major Cations									
Potassium	B-METAXDG1	10	mg/kg	29800	± 20.0%	----	----	----	----

Measurement uncertainty is expressed as expanded measurement uncertainty with coverage factor k = 2, representing 95% confidence level.
Key: LOR = Limit of reporting; MU = Measurement Uncertainty. The MU does not include sampling uncertainty.

Brief Method Summaries

Analytical Methods	Method Descriptions
Location of test performance: Na Harfe 336/9 Prague 9 - Vysocany Czech Republic 190 00	
B-METAXDG1	CZ_SOP_D06_09_001 (US EPA 200.7, ČSN EN ISO 11885, Determination of elements by atomic emission spectrometry with inductively coupled plasma and stoichiometric calculations of compounds concentration from measured values. Sample was homogenized and mineralized by acids and hydrogen peroxide prior to analysis.
Preparation Methods	Method Descriptions
Location of test performance: Na Harfe 336/9 Prague 9 - Vysocany Czech Republic 190 00	
*B-RECALC-METAL	Recalculation

The symbol "*" for the method indicates a test outside the scope of accreditation of the laboratory or subcontractor. If the UNICO-SUB code is stated in the method table, this only informs that the tests have been performed by a subcontractor and the results are given in an annex to the test report, including information on test accreditation. If the lab used for matrix outside the scope of accreditation or non-standard sample matrix procedure specified in the accredited method and issues non-accredited results, this fact is stated on the title page of this protocol in the section "Notes". If the test report shows the results of subcontracting, the place of performance of the test is outside the laboratories of ALS Czech Republic, s.r.o.

The method for calculating of the summation parameters is available on request in the customer service.

The end of the certificate of analysis



CERTIFICATE OF ANALYSIS

Work Order	: FP2507709-AE	Issue Date	: 27-Jun-2025
Amendment	: 1		
Client	: BRAINMARKET s.r.o.	Laboratory	: ALS Czech Republic, s.r.o.
Contact	: Matěj Veselý	Contact	: F&P Client Service
Address	: Hladnovská 83/93 Muglinov 712 00 Ostrava	Address	: Na Harfe 336/9 Prague 9 - Vysocany 190 00 Czech Republic
E-mail	: ----	E-mail	: czsupport.food@alsglobal.com
Telephone	: ----	Telephone	: +420 226 226 998
Project	: Stanovení hladiny účinné látky u vitamínu E v produktu Brainmax Women Multivitamin	Page	: 1 of 2
Order number	: 202503031	Date Samples Received Quote number	: 04-Mar-2025 : FP2025ROSHO-CZ0001 (CZ-114-25-5010)
Site	:	Date of test	: 05-Mar-2025 - 21-Mar-2025
Sampled by	:	QC Level	: ALS CR Standard Quality Control Schedule

General Comments

This report shall not be reproduced except in full, without prior written approval from the laboratory. The laboratory is not responsible for the sample data supplied by the customer and their impact on the validity of the result. The laboratory declares that the test results relate only to the listed samples. If "ALS" is not included in the test report in the "Sampled by" section, then the results refer to the sample as received.
Amendment 1: Subreports created.

Responsible for accuracy

Testing Laboratory No. 1163
Accredited by CAI according to
CSN EN ISO/IEC 17025:2018

Signatories

Kateřina Hubáčková

Position

Site Manager Food



GMP+ Registered Laboratory-GMP050490

The company is certified according to ČSN EN ISO 14001 (Environmental management systems) and ČSN ISO 45001 (Occupational health and safety management systems)

Sample Information

No. of samples received : 1
No. of samples analysed : 1

Date Samples Received
04-Mar-2025 14:00

When sampling date is not provided by the client, the laboratory determines it for procedural reasons, then it is equal to the date of receipt of the sample to the laboratory and is displayed in brackets.

Sub-Matrix : DIETARY SUPPLEMENT

Laboratory sample ID	Client sample ID	Client sampling date / time
FP2507709-001	Brainmax Women Multivitamin 314265	03-Mar-2025 08:10



Analytical Results

Sub-Matrix: DIETARY SUPPLEMENT				Laboratory sample ID		FP2507709-001		-----	
				Client sampling date / time		03-Mar-2025 08:10		----	
Parameter	Method	LOR	Unit	Result	MU	Result	MU	Result	MU
Vitamins									
Vitamin E (Alpha-Tocopherol)	B-VELCF02	0.50	mg/kg	41200	± 15.0%	----	----	----	----
alpha-Tocopherol Acetate	B-VELCF02	0.60	mg/kg	45200	± 15.0%	----	----	----	----

Measurement uncertainty is expressed as expanded measurement uncertainty with coverage factor k = 2, representing 95% confidence level.
Key: LOR = Limit of reporting; MU = Measurement Uncertainty. The MU does not include sampling uncertainty.

Brief Method Summaries

Analytical Methods	Method Descriptions
Location of test performance: Na Harfe 336/9 Prague 9 - Vysocany Czech Republic 190 00	
B-VELCF02	CZ_SOP_D06_09_206 (ČSN EN 12823-1, ČSN EN 12822) Determination of retinol and alpha tocopherol by liquid chromatography method with FLD detection

The symbol "*" for the method indicates a test outside the scope of accreditation of the laboratory or subcontractor. If the UNICO-SUB code is stated in the method table, this only informs that the tests have been performed by a subcontractor and the results are given in an annex to the test report, including information on test accreditation. If the lab used for matrix outside the scope of accreditation or non-standard sample matrix procedure specified in the accredited method and issues non-accredited results, this fact is stated on the title page of this protocol in the section "Notes". If the test report shows the results of subcontracting, the place of performance of the test is outside the laboratories of ALS Czech Republic, s.r.o.

The method for calculating of the summation parameters is available on request in the customer service.

The end of the certificate of analysis



CERTIFICATE OF ANALYSIS

Work Order	: FP2507709-AD	Issue Date	: 27-Jun-2025
Amendment	: 1		
Client	: BRAINMARKET s.r.o.	Laboratory	: ALS Czech Republic, s.r.o.
Contact	: Matěj Veselý	Contact	: F&P Client Service
Address	: Hladnovská 83/93 Muglinov 712 00 Ostrava	Address	: Na Harfe 336/9 Prague 9 - Vysocany 190 00 Czech Republic
E-mail	: ----	E-mail	: czsupport.food@alsglobal.com
Telephone	: ----	Telephone	: +420 226 226 998
Project	: Stanovení hladiny účinné látky u vitamínu B5 v produktu Brainmax Women Multivitamin	Page	: 1 of 2
Order number	: 202503031	Date Samples Received Quote number	: 04-Mar-2025 : FP2025ROSHO-CZ0001 (CZ-114-25-5010)
Site	:	Date of test	: 05-Mar-2025 - 21-Mar-2025
Sampled by	:	QC Level	: ALS CR Standard Quality Control Schedule

General Comments

This report shall not be reproduced except in full, without prior written approval from the laboratory. The laboratory is not responsible for the sample data supplied by the customer and their impact on the validity of the result.
The laboratory declares that the test results relate only to the listed samples. If "ALS" is not included in the test report in the "Sampled by" section, then the results refer to the sample as received.
Amendment 1: Subreports created.

Responsible for accuracy

Testing Laboratory No. 1163
Accredited by CAI according to
CSN EN ISO/IEC 17025:2018

Signatories

Kateřina Hubáčková

Position

Site Manager Food



GMP+ Registered Laboratory-GMP050490

The company is certified according to ČSN EN ISO 14001 (Environmental management systems) and ČSN ISO 45001 (Occupational health and safety management systems)

Sample Information

No. of samples received : 1
No. of samples analysed : 1

Date Samples Received
04-Mar-2025 14:00

When sampling date is not provided by the client, the laboratory determines it for procedural reasons, then it is equal to the date of receipt of the sample to the laboratory and is displayed in brackets.

Sub-Matrix : DIETARY SUPPLEMENT

Laboratory sample ID	Client sample ID	Client sampling date / time
FP2507709-001	Brainmax Women Multivitamin 314265	03-Mar-2025 08:10



Analytical Results

Sub-Matrix: DIETARY SUPPLEMENT				Laboratory sample ID		FP2507709-001		-----	
				Client sampling date / time		03-Mar-2025 08:10		----	
Parameter	Method	LOR	Unit	Result	MU	Result	MU	Result	MU
Vitamins									
Pantothenic acid	B-VB5LCP02	12.5	mg/kg	11600	± 20.0%	----	----	----	----
Calcium pantothenate	B-VB5LCP02	12.5	mg/kg	12700	± 20.0%	----	----	----	----

Measurement uncertainty is expressed as expanded measurement uncertainty with coverage factor k = 2, representing 95% confidence level.
Key: LOR = Limit of reporting; MU = Measurement Uncertainty. The MU does not include sampling uncertainty.

Brief Method Summaries

Analytical Methods	Method Descriptions
Location of test performance: Na Harfe 336/9 Prague 9 - Vysocany Czech Republic 190 00	
B-VB5LCP02	CZ_SOP_D06_09_238 Determination of pantothenic acid (vitamin B5) by liquid chromatography method with PDA detection.

The symbol "*" for the method indicates a test outside the scope of accreditation of the laboratory or subcontractor. If the UNICO-SUB code is stated in the method table, this only informs that the tests have been performed by a subcontractor and the results are given in an annex to the test report, including information on test accreditation. If the lab used for matrix outside the scope of accreditation or non-standard sample matrix procedure specified in the accredited method and issues non-accredited results, this fact is stated on the title page of this protocol in the section "Notes". If the test report shows the results of subcontracting, the place of performance of the test is outside the laboratories of ALS Czech Republic, s.r.o.

The method for calculating of the summation parameters is available on request in the customer service.

The end of the certificate of analysis

Analytical report AR-25-HD-019433-02



Testing laboratory:

Eurofins Food & Feed Testing Czech Republic s.r.o.
 Zkušební laboratoř EUROFINS CZ
 Radiová 1285/7
 102 00 Praha 10 - Hostivař
 IČO: 27449408
 tel.: +420 778 488 111 E-mail: ClientService.cz@ftcee.eurofins.com

Issue date 07.08.2025

Sample code 540-2025-00025235

Sample reception date: 15.05.2025
 Date of Testing 15.05.2025 - 13.06.2025

Sample information:

Sample name, extended: ¹⁾ Brainmax Multivitamin Women
 Sample description: ¹⁾ 315047
 Client Purchase order nr.: 20250514

Additional sample description: Odběratel: BRAINMARKET s.r.o.

Physical and chemical tests

Parameter	Unit	1	2	Result	3	4	5	Uncertainty of measurement*	Method	TZ
Bruttosampleweight ofsupplied sample	kg	0.26						8%	SOP MB.005.PB	A
Capsule weight, whole	g/Capsule	1.05							Ph. Eur. 3th Ed., 1997, 2.9.5, 1315.01	SN
CoenzymeQ10	mg/Capsule	7.63						20%	0-24	SA
Folicacid	µg/100g	12000						2400.000		SN
Methyltetrahydrofolate(5-MTHF)	µg/100g	<5 (LOQ)								SN
Thiaminehydrochloride (vitamin B1-HCl)	mg/100 g	804						128.640		SA
Riboflavin(vitaminB2)	mg/100 g	585						93.600		SA
Pyridoxinecalc.asPyridoxal 5-PhosphateMonohydra	mg/100g	761						106.540	EN 14164:2014, mod.	SA
Pyridoxine(vitaminB6)	mg/100g	486						68.040	EN 14164:2014, mod.	SA
Pyridoxinecalc. asPyridoxal 5'-Phosphate	mg/100 g	710						99.400	EN 14164:2014, mod.	SA

Parameter	Unit	Result	Uncertainty of measurement*	Method	Method principle	TZ
-----------	------	--------	-----------------------------	--------	------------------	----

Testing performed on whole capsule Yes Testing on whole capsules SN

Decision rule: If the testing laboratory issues a statement of conformity, the decision-making rule according to ch. 4.2.1 of ILAC document G8:09/2019 Guidelines for the use of decision rules and statement of conformity. In such a case, the measurement uncertainty is not taken into account for the conformity statement. If measurement uncertainty is included the decision, this information is included in the statement of conformity. In such a case, proceed according to chap. 4.2.3 ILAC G8:09/2019.

Notes:

SOP, ŠPP - Standard operation procedure	TZ - type of test
ND - not detected by given method	A - test within the accreditation scope of EUROFINS CZ
CFU - Colony forming unit	N - test outside of the accreditation scope of EUROFINS CZ
NM - necessary quantity	SA - subcontracted accredited test
SN - subcontracted not accredited test	
* - the expanded measurement uncertainty, as determined by the extension coefficient $k = 2$ (with a 95% probability), does not include sampling uncertainty; if the measurement uncertainty is expressed in %, it is its relative value	
LOD – limit of detection, LOQ – limit of quantification, result between LOD and LOQ = detected	
1) - Information supplied by customer	
Unless otherwise stated in the notes, the place of the tests performance is workplace No. 1 - Prague - of EUROFINS CZ testing laboratory.	

If the information supplied by the customer could have be to affect the validity of the results, the laboratory disclaims responsibility. For samples supplied by the customer, the results relate to the sample as received and provided by the customer. The measuring devices and gauges used for the test / tests have been calibrated and verified according to valid metrological regulations. The results of the measurements relate only to the subject of the tests and do not replace other documents, e.g. of an administrative nature. The result identified as subcontracting in this protocol is the result of subcontractor measurements based on contract, order. The protocol may be reproduced or incorporated into promotional materials only with the written consent of the EUROFINS CZ Testing Laboratory and only to the extent of such approval. Any alteration, reproduction of part of the test report is not permitted and such analytical report automatically becomes invalid. The authenticity and completeness of the report can be verified at the EUROFINS CZ test laboratory stated in the header of analytical report. This Test Report has been issued in accordance with the applicable Conditions of service available on request and accessible at www.eurofins.cz.

Responsible for correctness: Jitka Pinkrová

Worked out by: Júlia Výbostoková

No. of document: 2025879243434

Validity check of document

<https://www.linktothedocument.com>



Test Certificate approved by:

Jitka Pinkrová

Head of Laboratory




Analytical report AR-25-HD-019433-02



Testing laboratory:

Eurofins Food & Feed Testing Czech Republic s.r.o.
 Zkušební laboratoř EUROFINS CZ
 Radiová 1285/7
 102 00 Praha 10 - Hostivař
 IČO: 27449408
 tel.: +420 778 488 111 E-mail: ClientService.cz@ftcee.eurofins.com

Issue date 07.08.2025

Sample code 540-2025-00025235

Sample reception date: 15.05.2025
Date of Testing 15.05.2025 - 13.06.2025

Sample information:

Sample name, extended: ¹⁾ Brainmax Multivitamin Women
 Sample description: ¹⁾ 315047
 Client Purchase order nr.: 20250514

Additional sample description: Odběratel: BRAINMARKET s.r.o.

Physical and chemical tests

Parameter	Unit	1	2	Result	4	5	Uncertainty of measurement*	Method	TZ
Bruttosampleweight ofsupplied sample	kg	0.26					8%	SOP MB.005.PB	A
Capsule weight, whole	g/Capsule	1.05						Ph. Eur. 3th Ed., 1997, 2.9.5, 1315.01	SN
CoenzymeQ10	mg/Capsule	7.63					20%	0-24	SA
Folicacid	µg/100g	12000					2400.000		SN
Methyltetrahydrofolate(5-MTHF)	µg/100g	<5 (LOQ)							SN
Thiaminehydrochloride (vitamin B1-HCl)	mg/100 g	804					128.640		SA
Riboflavin(vitaminB2)	mg/100 g	585					93.600		SA
Pyridoxinecalc.asPyridoxal 5-PhosphateMonohydra	mg/100g	761					106.540	EN 14164:2014, mod.	SA
Pyridoxine(vitaminB6)	mg/100g	486					68.040	EN 14164:2014, mod.	SA
Pyridoxinecalc. asPyridoxal 5'-Phosphate	mg/100 g	710					99.400	EN 14164:2014, mod.	SA

Parameter	Unit	Result	Uncertainty of measurement*	Method	Method principle	TZ
-----------	------	--------	-----------------------------	--------	------------------	----

Testing performed on whole capsule Yes Testing on whole capsules SN

Decision rule: If the testing laboratory issues a statement of conformity, the decision-making rule according to ch. 4.2.1 of ILAC document G8:09/2019 Guidelines for the use of decision rules and statement of conformity. In such a case, the measurement uncertainty is not taken into account for the conformity statement. If measurement uncertainty is included the decision, this information is included in the statement of conformity. In such a case, proceed according to chap. 4.2.3 ILAC G8:09/2019.

Notes:

SOP, ŠPP - Standard operation procedure	TZ - type of test
ND - not detected by given method	A - test within the accreditation scope of EUROFINS CZ
CFU - Colony forming unit	N - test outside of the accreditation scope of EUROFINS CZ
NM - necessary quantity	SA - subcontracted accredited test
SN - subcontracted not accredited test	
* - the expanded measurement uncertainty, as determined by the extension coefficient $k = 2$ (with a 95% probability), does not include sampling uncertainty; if the measurement uncertainty is expressed in %, it is its relative value	
LOD – limit of detection, LOQ – limit of quantification, result between LOD and LOQ = detected	
1) - Information supplied by customer	
Unless otherwise stated in the notes, the place of the tests performance is workplace No. 1 - Prague - of EUROFINS CZ testing laboratory.	

If the information supplied by the customer could have be to affect the validity of the results, the laboratory disclaims responsibility. For samples supplied by the customer, the results relate to the sample as received and provided by the customer. The measuring devices and gauges used for the test / tests have been calibrated and verified according to valid metrological regulations. The results of the measurements relate only to the subject of the tests and do not replace other documents, e.g. of an administrative nature. The result identified as subcontracting in this protocol is the result of subcontractor measurements based on contract, order. The protocol may be reproduced or incorporated into promotional materials only with the written consent of the EUROFINS CZ Testing Laboratory and only to the extent of such approval. Any alteration, reproduction of part of the test report is not permitted and such analytical report automatically becomes invalid. The authenticity and completeness of the report can be verified at the EUROFINS CZ test laboratory stated in the header of analytical report. This Test Report has been issued in accordance with the applicable Conditions of service available on request and accessible at www.eurofins.cz.

Responsible for correctness: Jitka Pinkrová

Worked out by: Júlia Výbostoková

No. of document: 2025879243434

Validity check of document

<https://www.linktothedocument.com>



Test Certificate approved by:

Jitka Pinkrová

Head of Laboratory




Analytical report AR-25-HD-019433-02



Testing laboratory:

Eurofins Food & Feed Testing Czech Republic s.r.o.
 Zkušební laboratoř EUROFINS CZ
 Radiová 1285/7
 102 00 Praha 10 - Hostivař
 IČO: 27449408
 tel.: +420 778 488 111 E-mail: ClientService.cz@ftcee.eurofins.com

Issue date 07.08.2025

Sample code 540-2025-00025235

Sample reception date: 15.05.2025
Date of Testing 15.05.2025 - 13.06.2025

Sample information:

Sample name, extended: ¹⁾ Brainmax Multivitamin Women
 Sample description: ¹⁾ 315047
 Client Purchase order nr.: 20250514

Additional sample description: Odběratel: BRAINMARKET s.r.o.

Physical and chemical tests

Parameter	Unit	1	2	Result	4	5	Uncertainty of measurement*	Method	TZ
Bruttosampleweight ofsupplied sample	kg	0.26					8%	SOP MB.005.PB	A
Capsule weight, whole	g/Capsule	1.05						Ph. Eur. 3th Ed., 1997, 2.9.5, 1315.01	SN
CoenzymeQ10	mg/Capsule	7.63					20%	0-24	SA
Folicacid	µg/100g	12000					2400.000		SN
Methyltetrahydrofolate(5-MTHF)	µg/100g	<5 (LOQ)							SN
Thiaminehydrochloride (vitamin B1-HCl)	mg/100 g	804					128.640		SA
Riboflavin(vitaminB2)	mg/100 g	585					93.600		SA
Pyridoxinecalc.asPyridoxal 5-PhosphateMonohydra	mg/100g	761					106.540	EN 14164:2014, mod.	SA
Pyridoxine(vitaminB6)	mg/100g	486					68.040	EN 14164:2014, mod.	SA
Pyridoxinecalc. asPyridoxal 5'-Phosphate	mg/100 g	710					99.400	EN 14164:2014, mod.	SA

Parameter	Unit	Result	Uncertainty of measurement*	Method	Method principle	TZ
-----------	------	--------	-----------------------------	--------	------------------	----

Testing performed on whole capsule Yes Testing on whole capsules SN

Decision rule: If the testing laboratory issues a statement of conformity, the decision-making rule according to ch. 4.2.1 of ILAC document G8:09/2019 Guidelines for the use of decision rules and statement of conformity. In such a case, the measurement uncertainty is not taken into account for the conformity statement. If measurement uncertainty is included the decision, this information is included in the statement of conformity. In such a case, proceed according to chap. 4.2.3 ILAC G8:09/2019.

Notes:

SOP, ŠPP - Standard operation procedure	TZ - type of test
ND - not detected by given method	A - test within the accreditation scope of EUROFINS CZ
CFU - Colony forming unit	N - test outside of the accreditation scope of EUROFINS CZ
NM - necessary quantity	SA - subcontracted accredited test
SN - subcontracted not accredited test	
* - the expanded measurement uncertainty, as determined by the extension coefficient $k = 2$ (with a 95% probability), does not include sampling uncertainty; if the measurement uncertainty is expressed in %, it is its relative value	
LOD – limit of detection, LOQ – limit of quantification, result between LOD and LOQ = detected	
1) - Information supplied by customer	
Unless otherwise stated in the notes, the place of the tests performance is workplace No. 1 - Prague - of EUROFINS CZ testing laboratory.	

If the information supplied by the customer could have be to affect the validity of the results, the laboratory disclaims responsibility. For samples supplied by the customer, the results relate to the sample as received and provided by the customer. The measuring devices and gauges used for the test / tests have been calibrated and verified according to valid metrological regulations. The results of the measurements relate only to the subject of the tests and do not replace other documents, e.g. of an administrative nature. The result identified as subcontracting in this protocol is the result of subcontractor measurements based on contract, order. The protocol may be reproduced or incorporated into promotional materials only with the written consent of the EUROFINS CZ Testing Laboratory and only to the extent of such approval. Any alteration, reproduction of part of the test report is not permitted and such analytical report automatically becomes invalid. The authenticity and completeness of the report can be verified at the EUROFINS CZ test laboratory stated in the header of analytical report. This Test Report has been issued in accordance with the applicable Conditions of service available on request and accessible at www.eurofins.cz.

Responsible for correctness: Jitka Pinkrová

Worked out by: Júlia Výbostoková

No. of document: 2025879243434

Validity check of document

<https://www.linktothedocument.com>



Test Certificate approved by:

Jitka Pinkrová

Head of Laboratory






CERTIFICATE OF ANALYSIS

Work Order	: FP2507709-AC	Issue Date	: 27-Jun-2025
Amendment	: 1		
Client	: BRAINMARKET s.r.o.	Laboratory	: ALS Czech Republic, s.r.o.
Contact	: Matěj Veselý	Contact	: F&P Client Service
Address	: Hladnovská 83/93 Muglinov 712 00 Ostrava	Address	: Na Harfe 336/9 Prague 9 - Vysocany 190 00 Czech Republic
E-mail	: ----	E-mail	: czsupport.food@alsglobal.com
Telephone	: ----	Telephone	: +420 226 226 998
Project	: Stanovení hladiny účinné látky u vitamínu B3 v produktu Brainmax Women Multivitamin	Page	: 1 of 2
Order number	: 202503031	Date Samples Received Quote number	: 04-Mar-2025 : FP2025ROSHO-CZ0001 (CZ-114-25-5010)
Site	:	Date of test	: 05-Mar-2025 - 21-Mar-2025
Sampled by	:	QC Level	: ALS CR Standard Quality Control Schedule

General Comments

This report shall not be reproduced except in full, without prior written approval from the laboratory. The laboratory is not responsible for the sample data supplied by the customer and their impact on the validity of the result.
The laboratory declares that the test results relate only to the listed samples. If "ALS" is not included in the test report in the "Sampled by" section, then the results refer to the sample as received.
Amendment 1: Subreports created.

Responsible for accuracy

Testing Laboratory No. 1163
Accredited by CAI according to
CSN EN ISO/IEC 17025:2018

Signatories

Kateřina Hubáčková

Position

Site Manager Food



GMP+ Registered Laboratory-GMP050490

The company is certified according to ČSN EN ISO 14001 (Environmental management systems) and ČSN ISO 45001 (Occupational health and safety management systems)

Sample Information

No. of samples received : 1
No. of samples analysed : 1

Date Samples Received
04-Mar-2025 14:00

When sampling date is not provided by the client, the laboratory determines it for procedural reasons, then it is equal to the date of receipt of the sample to the laboratory and is displayed in brackets.

Sub-Matrix : DIETARY SUPPLEMENT

Laboratory sample ID	Client sample ID	Client sampling date / time
FP2507709-001	Brainmax Women Multivitamin 314265	03-Mar-2025 08:10



Analytical Results

Sub-Matrix: DIETARY SUPPLEMENT				Laboratory sample ID		FP2507709-001		-----	
				Client sampling date / time		03-Mar-2025 08:10		----	
Parameter	Method	LOR	Unit	Result	MU	Result	MU	Result	MU
Vitamins									
Niacin	B-VB3LCF02	7.0	mg/kg	5600	± 30.0%	----	----	----	----

Measurement uncertainty is expressed as expanded measurement uncertainty with coverage factor k = 2, representing 95% confidence level.
Key: LOR = Limit of reporting; MU = Measurement Uncertainty. The MU does not include sampling uncertainty.

Brief Method Summaries

Analytical Methods	Method Descriptions
Location of test performance: Na Harfe 336/9 Prague 9 - Vysocany Czech Republic 190 00	
B-VB3LCF02	CZ_SOP_D06_09_225 (CSN EN 15652) Determination of niacin by liquid chromatography method with PDA detection.

The symbol "*" for the method indicates a test outside the scope of accreditation of the laboratory or subcontractor. If the UNICO-SUB code is stated in the method table, this only informs that the tests have been performed by a subcontractor and the results are given in an annex to the test report, including information on test accreditation. If the lab used for matrix outside the scope of accreditation or non-standard sample matrix procedure specified in the accredited method and issues non-accredited results, this fact is stated on the title page of this protocol in the section "Notes". If the test report shows the results of subcontracting, the place of performance of the test is outside the laboratories of ALS Czech Republic, s.r.o.
The method for calculating of the summation parameters is available on request in the customer service.

The end of the certificate of analysis

Analytical report AR-25-HD-019433-02



Testing laboratory:

Eurofins Food & Feed Testing Czech Republic s.r.o.
 Zkušební laboratoř EUROFINS CZ
 Radiová 1285/7
 102 00 Praha 10 - Hostivař
 IČO: 27449408
 tel.: +420 778 488 111 E-mail: ClientService.cz@ftcee.eurofins.com

Issue date 07.08.2025

Sample code 540-2025-00025235

Sample reception date: 15.05.2025
Date of Testing 15.05.2025 - 13.06.2025

Sample information:

Sample name, extended: ¹⁾ Brainmax Multivitamin Women
 Sample description: ¹⁾ 315047
 Client Purchase order nr.: 20250514

Additional sample description: Odběratel: BRAINMARKET s.r.o.

Physical and chemical tests

Parameter	Unit	1	2	Result	4	5	Uncertainty of measurement*	Method	TZ
Bruttosampleweight ofsupplied sample	kg	0.26					8%	SOP MB.005.PB	A
Capsule weight, whole	g/Capsule	1.05						Ph. Eur. 3th Ed., 1997, 2.9.5, 1315.01	SN
CoenzymeQ10	mg/Capsule	7.63					20%	0-24	SA
Folicacid	µg/100g	12000					2400.000		SN
Methyltetrahydrofolate(5-MTHF)	µg/100g	<5 (LOQ)							SN
Thiaminehydrochloride (vitamin B1-HCl)	mg/100 g	804					128.640		SA
Riboflavin(vitaminB2)	mg/100 g	585					93.600		SA
Pyridoxinecalc.asPyridoxal 5-PhosphateMonohydra	mg/100g	761					106.540	EN 14164:2014, mod.	SA
Pyridoxine(vitaminB6)	mg/100g	486					68.040	EN 14164:2014, mod.	SA
Pyridoxinecalc. asPyridoxal 5'-Phosphate	mg/100 g	710					99.400	EN 14164:2014, mod.	SA

Parameter	Unit	Result	Uncertainty of measurement*	Method	Method principle	TZ
-----------	------	--------	-----------------------------	--------	------------------	----

Testing performed on whole capsule Yes Testing on whole capsules SN

Decision rule: If the testing laboratory issues a statement of conformity, the decision-making rule according to ch. 4.2.1 of ILAC document G8:09/2019 Guidelines for the use of decision rules and statement of conformity. In such a case, the measurement uncertainty is not taken into account for the conformity statement. If measurement uncertainty is included the decision, this information is included in the statement of conformity. In such a case, proceed according to chap. 4.2.3 ILAC G8:09/2019.

Notes:

SOP, ŠPP - Standard operation procedure	TZ - type of test
ND - not detected by given method	A - test within the accreditation scope of EUROFINS CZ
CFU - Colony forming unit	N - test outside of the accreditation scope of EUROFINS CZ
NM - necessary quantity	SA - subcontracted accredited test
SN - subcontracted not accredited test	
* - the expanded measurement uncertainty, as determined by the extension coefficient $k = 2$ (with a 95% probability), does not include sampling uncertainty; if the measurement uncertainty is expressed in %, it is its relative value	
LOD – limit of detection, LOQ – limit of quantification, result between LOD and LOQ = detected	
1) - Information supplied by customer	
Unless otherwise stated in the notes, the place of the tests performance is workplace No. 1 - Prague - of EUROFINS CZ testing laboratory.	

If the information supplied by the customer could have be to affect the validity of the results, the laboratory disclaims responsibility. For samples supplied by the customer, the results relate to the sample as received and provided by the customer. The measuring devices and gauges used for the test / tests have been calibrated and verified according to valid metrological regulations. The results of the measurements relate only to the subject of the tests and do not replace other documents, e.g. of an administrative nature. The result identified as subcontracting in this protocol is the result of subcontractor measurements based on contract, order. The protocol may be reproduced or incorporated into promotional materials only with the written consent of the EUROFINS CZ Testing Laboratory and only to the extent of such approval. Any alteration, reproduction of part of the test report is not permitted and such analytical report automatically becomes invalid. The authenticity and completeness of the report can be verified at the EUROFINS CZ test laboratory stated in the header of analytical report. This Test Report has been issued in accordance with the applicable Conditions of service available on request and accessible at www.eurofins.cz.

Responsible for correctness: Jitka Pinkrová

Worked out by: Júlia Výbostoková

No. of document: 2025879243434

Validity check of document

<https://www.linktothedocument.com>



Test Certificate approved by:

Jitka Pinkrová

Head of Laboratory






CERTIFICATE OF ANALYSIS

Work Order	: FP2508500-AD	Issue Date	: 27-Jun-2025
Amendment	: 1		
Client	: BRAINMARKET s.r.o.	Laboratory	: ALS Czech Republic, s.r.o.
Contact	: Matěj Veselý	Contact	: F&P Client Service
Address	: Hladnovská 83/93 Muglinov 712 00 Ostrava	Address	: Na Harfe 336/9 Prague 9 - Vysocany 190 00 Czech Republic
E-mail	: ----	E-mail	: czsupport.food@alsglobal.com
Telephone	: ----	Telephone	: +420 226 226 998
Project	: Stanovení hladiny účinné látky u Bisglycinátu zinku chelat v produktech Brainmax.	Page	: 1 of 2
Order number	: 20250307_2	Date Samples Received Quote number	: 10-Mar-2025 : FP2025ROSHO-CZ0001 (CZ-114-25-5010)
Site	:	Date of test	: 10-Mar-2025 - 21-Mar-2025
Sampled by	:	QC Level	: ALS CR Standard Quality Control Schedule

General Comments

This report shall not be reproduced except in full, without prior written approval from the laboratory. The laboratory is not responsible for the sample data supplied by the customer and their impact on the validity of the result.

The laboratory declares that the test results relate only to the listed samples. If "ALS" is not included in the test report in the "Sampled by" section, then the results refer to the sample as received.

Amendment 1: added a comment. This Amendment 1 replaces the original report issued on 28.03.2025.

Sample FP2508500/004, method B-METAXDG2 - Total zinc expressed as zinc bisglycinate = 15600 mg/kg.

Responsible for accuracy

Testing Laboratory No. 1163
Accredited by CAI according to
CSN EN ISO/IEC 17025:2018

Signatories

Kateřina Hubáčková

Position

Site Manager Food



GMP+ Registered Laboratory-GMP050490

The company is certified according to ČSN EN ISO 14001 (Environmental management systems) and ČSN ISO 45001 (Occupational health and safety management systems)

Sample Information

No. of samples received : 1

Date Samples Received

No. of samples analysed : 1

10-Mar-2025 09:00

When sampling date is not provided by the client, the laboratory determines it for procedural reasons, then it is equal to the date of receipt of the sample to the laboratory and is displayed in brackets.

Sub-Matrix : DIETARY SUPPLEMENT

Laboratory sample ID	Client sample ID	Client sampling date / time
----------------------	------------------	-----------------------------



Sub-Matrix : DIETARY SUPPLEMENT		
Laboratory sample ID	Client sample ID	Client sampling date / time
FP2508500-004	Brainmax Women Multivitamin 312257	07-Mar-2025 13:20

Analytical Results

Sub-Matrix: DIETARY SUPPLEMENT				Laboratory sample ID	FP2508500-004	-----	-----
				Client sampling date / time	07-Mar-2025 13:20	----	----
Parameter	Method	LOR	Unit	Result	MU	Result	MU
Total Metals / Major Cations							
Zinc	B-METAXDG2	0.20	mg/kg	4770	± 20.0%	----	----

Measurement uncertainty is expressed as expanded measurement uncertainty with coverage factor k = 2, representing 95% confidence level.
Key: LOR = Limit of reporting; MU = Measurement Uncertainty. The MU does not include sampling uncertainty.

Brief Method Summaries

Analytical Methods	Method Descriptions
Location of test performance: Na Harfe 336/9 Prague 9 - Vysocany Czech Republic 190 00	
B-METAXDG2	CZ_SOP_D06_09_001 (US EPA 200.7, ČSN EN ISO 11885, Determination of elements by atomic emission spectrometry with inductively coupled plasma and stoichiometric calculations of compounds concentration from measured values. Sample was homogenized and mineralized by acids and hydrogen peroxide prior to analysis.

The symbol "*" for the method indicates a test outside the scope of accreditation of the laboratory or subcontractor. If the UNICO-SUB code is stated in the method table, this only informs that the tests have been performed by a subcontractor and the results are given in an annex to the test report, including information on test accreditation. If the lab used for matrix outside the scope of accreditation or non-standard sample matrix procedure specified in the accredited method and issues non-accredited results, this fact is stated on the title page of this protocol in the section "Notes". If the test report shows the results of subcontracting, the place of performance of the test is outside the laboratories of ALS Czech Republic, s.r.o.
The method for calculating of the summation parameters is available on request in the customer service.

The end of the certificate of analysis



CERTIFICATE OF ANALYSIS

Work Order	: FP2509403	Issue Date	: 27-Jun-2025
Amendment	: 3		
Client	: BRAINMARKET s.r.o.	Laboratory	: ALS Czech Republic, s.r.o.
Contact	: Matěj Veselý	Contact	: F&P Client Service
Address	: Hladnovská 83/93 Muglinov 712 00 Ostrava	Address	: Na Harfe 336/9 Prague 9 - Vysocany 190 00 Czech Republic
E-mail	: ----	E-mail	: czsupport.food@alsglobal.com
Telephone	: ----	Telephone	: +420 226 226 998
Project	: Stanovení hladiny účinné latky Bisglycinátu železnatého (20%Fe) v produktu Brainmax Women Multivitamin	Page	: 1 of 2
Order number	: 20250312_1 oprava_1	Date Samples Received Quote number	: 14-Mar-2025 : : FP2025ROSHO-CZ0001 (CZ-114-25-5010)
Site	:	Date of test	: 17-Mar-2025 - 24-Mar-2025
Sampled by	:	QC Level	: ALS CR Standard Quality Control Schedule

General Comments

This report shall not be reproduced except in full, without prior written approval from the laboratory. The laboratory is not responsible for the sample data supplied by the customer and their impact on the validity of the result.

The laboratory declares that the test results relate only to the listed samples. If "ALS" is not included in the test report in the "Sampled by" section, then the results refer to the sample as received.

Amendment 2: added a comment. This Amendment 2 replaces the original report issued on 01.04.2025.

Sample FP2509403/001, method B-METAXDG2 - Total iron expressed as iron bisglycinate = 12900 mg/kg.

Responsible for accuracy

Testing Laboratory No. 1163
Accredited by CAI according to
CSN EN ISO/IEC 17025:2018

Signatories

Kateřina Hubáčková

Position

Site Manager Food



GMP+ Registered Laboratory-GMP050490

The company is certified according to ČSN EN ISO 14001 (Environmental management systems) and ČSN ISO 45001 (Occupational health and safety management systems)

Sample Information

No. of samples received : 1
No. of samples analysed : 1

Date Samples Received
14-Mar-2025 09:00

When sampling date is not provided by the client, the laboratory determines it for procedural reasons, then it is equal to the date of receipt of the sample to the laboratory and is displayed in brackets.



Sub-Matrix : DIETARY SUPPLEMENT

Laboratory sample ID	Client sample ID	Client sampling date / time
FP2509403-001	Brainmax Women Multivitamin	12-Mar-2025 08:10

Analytical Results

Sub-Matrix: DIETARY SUPPLEMENT

Laboratory sample ID	FP2509403-001	-----	-----
Client sampling date / time	12-Mar-2025 08:10	----	----

Parameter	Method	LOR	Unit	Result	MU	Result	MU	Result	MU
Total Metals / Major Cations									
Iron	B-METAXDG2	1.0	mg/kg	3490	± 20.0%	----	----	----	----

Measurement uncertainty is expressed as expanded measurement uncertainty with coverage factor k = 2, representing 95% confidence level.
Key: LOR = Limit of reporting; MU = Measurement Uncertainty. The MU does not include sampling uncertainty.

Brief Method Summaries

Analytical Methods	Method Descriptions
Location of test performance: Na Harfe 336/9 Prague 9 - Vysocany Czech Republic 190 00	
B-METAXDG2	CZ_SOP_D06_09_001 (US EPA 200.7, ČSN EN ISO 11885, Determination of elements by atomic emission spectrometry with inductively coupled plasma and stoichiometric calculations of compounds concentration from measured values. Sample was homogenized and mineralized by acids and hydrogen peroxide prior to analysis.

The symbol "*" for the method indicates a test outside the scope of accreditation of the laboratory or subcontractor. If the UNICO-SUB code is stated in the method table, this only informs that the tests have been performed by a subcontractor and the results are given in an annex to the test report, including information on test accreditation. If the lab used for matrix outside the scope of accreditation or non-standard sample matrix procedure specified in the accredited method and issues non-accredited results, this fact is stated on the title page of this protocol in the section "Notes". If the test report shows the results of subcontracting, the place of performance of the test is outside the laboratories of ALS Czech Republic, s.r.o.
The method for calculating of the summation parameters is available on request in the customer service.

The end of the certificate of analysis



CERTIFICATE OF ANALYSIS

Work Order	: FP2513135-AB	Issue Date	: 27-Jun-2025
Client	: BRAINMARKET s.r.o.	Laboratory	: ALS Czech Republic, s.r.o.
Contact	: Matěj Veselý	Contact	: F&P Client Service
Address	: Hladnovská 83/93 Muglinov 712 00 Ostrava	Address	: Na Harfe 336/9 Prague 9 - Vysocany 190 00 Czech Republic
E-mail	: ----	E-mail	: czsupport.food@alsglobal.com
Telephone	: ----	Telephone	: +420 226 226 998
Project	: Stanovení účinné látky řady vitamínů a minerálů v produktu BrainMax Women Multivitamin	Page	: 1 of 2
Order number	: 20250410	Date Samples Received	: 11-Apr-2025
		Quote number	: FP2025ROSHO-CZ0001 (CZ-114-25-5010)
Site	:	Date of test	: 14-Apr-2025 - 24-Apr-2025
Sampled by	:	QC Level	: ALS CR Standard Quality Control Schedule

General Comments

This report shall not be reproduced except in full, without prior written approval from the laboratory. The laboratory is not responsible for the sample data supplied by the customer and their impact on the validity of the result. The laboratory declares that the test results relate only to the listed samples. If "ALS" is not included in the test report in the "Sampled by" section, then the results refer to the sample as received.

Sample FP2513135/001, method B-METAXDG2 - Total boron expressed as C₄H₄BNO₂ = 3750 mg/kg.

Responsible for accuracy

Testing Laboratory No. 1163
Accredited by CAI according to
CSN EN ISO/IEC 17025:2018

Signatories

Kateřina Hubáčková

Position

Site Manager Food



GMP+ Registered Laboratory-GMP050490

The company is certified according to ČSN EN ISO 14001 (Environmental management systems) and ČSN ISO 45001 (Occupational health and safety management systems)

Sample Information

No. of samples received : 1
No. of samples analysed : 1

Date Samples Received
11-Apr-2025 09:00

When sampling date is not provided by the client, the laboratory determines it for procedural reasons, then it is equal to the date of receipt of the sample to the laboratory and is displayed in brackets.



Sub-Matrix : DIETARY SUPPLEMENT

Laboratory sample ID	Client sample ID	Client sampling date / time
FP2513135-001	Brainmax Women Multivitamin 314989	10-Apr-2025 08:10

Analytical Results

Sub-Matrix: DIETARY SUPPLEMENT

Laboratory sample ID
Client sampling date / time

FP2513135-001

10-Apr-2025 08:10

Parameter	Method	LOR	Unit	Result	MU	Result	MU	Result	MU
Total Metals / Major Cations									
Boron	B-METAXDG2	2.0	mg/kg	478	± 20.0%	----	----	----	----

Measurement uncertainty is expressed as expanded measurement uncertainty with coverage factor k = 2, representing 95% confidence level.
Key: LOR = Limit of reporting; MU = Measurement Uncertainty. The MU does not include sampling uncertainty.

Brief Method Summaries

Analytical Methods	Method Descriptions
Location of test performance: Na Harfe 336/9 Prague 9 - Vysocany Czech Republic 190 00	
B-METAXDG2	CZ_SOP_D06_09_001 (US EPA 200.7, ČSN EN ISO 11885, Determination of elements by atomic emission spectrometry with inductively coupled plasma and stoichiometric calculations of compounds concentration from measured values. Sample was homogenized and mineralized by acids and hydrogen peroxide prior to analysis.

The symbol "*" for the method indicates a test outside the scope of accreditation of the laboratory or subcontractor. If the UNICO-SUB code is stated in the method table, this only informs that the tests have been performed by a subcontractor and the results are given in an annex to the test report, including information on test accreditation. If the lab used for matrix outside the scope of accreditation or non-standard sample matrix procedure specified in the accredited method and issues non-accredited results, this fact is stated on the title page of this protocol in the section "Notes". If the test report shows the results of subcontracting, the place of performance of the test is outside the laboratories of ALS Czech Republic, s.r.o.
The method for calculating of the summation parameters is available on request in the customer service.

The end of the certificate of analysis



CERTIFICATE OF ANALYSIS

Work Order	: FP2508623-AD	Issue Date	: 27-Jun-2025
Amendment	: 1		
Client	: BRAINMARKET s.r.o.	Laboratory	: ALS Czech Republic, s.r.o.
Contact	: Matěj Veselý	Contact	: F&P Client Service
Address	: Hladnovská 83/93 Muglinov 712 00 Ostrava	Address	: Na Harfe 336/9 Prague 9 - Vysocany 190 00 Czech Republic
E-mail	: ----	E-mail	: czsupport.food@alsglobal.com
Telephone	: ----	Telephone	: +420 226 226 998
Project	: Stanovení hladiny účinné látky v Mědi v produktech Brainmax	Page	: 1 of 2
Order number	: 20250310_3	Date Samples Received	: 11-Mar-2025
		Quote number	: FP2025ROSHO-CZ0001 (CZ-114-25-5010)
Site	:	Date of test	: 13-Mar-2025 - 21-Mar-2025
Sampled by	:	QC Level	: ALS CR Standard Quality Control Schedule

General Comments

This report shall not be reproduced except in full, without prior written approval from the laboratory. The laboratory is not responsible for the sample data supplied by the customer and their impact on the validity of the result.

The laboratory declares that the test results relate only to the listed samples. If "ALS" is not included in the test report in the "Sampled by" section, then the results refer to the sample as received.

Amendment 1: added a comment. This Amendment 1 replaces the original report issued on 31.03.2025.

Responsible for accuracy

Testing Laboratory No. 1163
Accredited by CAI according to
CSN EN ISO/IEC 17025:2018

Signatories

Kateřina Hubáčková

Position

Site Manager Food



GMP+ Registered Laboratory-GMP050490

The company is certified according to ČSN EN ISO 14001 (Environmental management systems) and ČSN ISO 45001 (Occupational health and safety management systems)

Sample Information

No. of samples received : 1

Date Samples Received

No. of samples analysed : 1

11-Mar-2025 09:00

When sampling date is not provided by the client, the laboratory determines it for procedural reasons, then it is equal to the date of receipt of the sample to the laboratory and is displayed in brackets.

Sub-Matrix : DIETARY SUPPLEMENT

Laboratory sample ID	Client sample ID	Client sampling date / time
FP2508623-004	Brainmax Women Multivitamin 314265	10-Mar-2025 08:10



Analytical Results

Sub-Matrix: DIETARY SUPPLEMENT				Laboratory sample ID		FP2508623-004		-----	
				Client sampling date / time		10-Mar-2025 08:10		----	
Parameter	Method	LOR	Unit	Result	MU	Result	MU	Result	MU
Total Metals / Major Cations									
Copper	B-METAXDG2	0.20	mg/kg	327	± 20.0%	----	----	----	----

Measurement uncertainty is expressed as expanded measurement uncertainty with coverage factor k = 2, representing 95% confidence level.
Key: LOR = Limit of reporting; MU = Measurement Uncertainty. The MU does not include sampling uncertainty.

Brief Method Summaries

Analytical Methods	Method Descriptions
Location of test performance: Na Harfe 336/9 Prague 9 - Vysocany Czech Republic 190 00	
B-METAXDG2	CZ_SOP_D06_09_001 (US EPA 200.7, ČSN EN ISO 11885, Determination of elements by atomic emission spectrometry with inductively coupled plasma and stoichiometric calculations of compounds concentration from measured values. Sample was homogenized and mineralized by acids and hydrogen peroxide prior to analysis.

The symbol "*" for the method indicates a test outside the scope of accreditation of the laboratory or subcontractor. If the UNICO-SUB code is stated in the method table, this only informs that the tests have been performed by a subcontractor and the results are given in an annex to the test report, including information on test accreditation. If the lab used for matrix outside the scope of accreditation or non-standard sample matrix procedure specified in the accredited method and issues non-accredited results, this fact is stated on the title page of this protocol in the section "Notes". If the test report shows the results of subcontracting, the place of performance of the test is outside the laboratories of ALS Czech Republic, s.r.o.
The method for calculating of the summation parameters is available on request in the customer service.

The end of the certificate of analysis



CERTIFICATE OF ANALYSIS

Work Order	: FP2523840-AA	Issue Date	: 23-Jul-2025
Client	: BRAINMARKET s.r.o.	Laboratory	: ALS Czech Republic, s.r.o.
Contact	: Matěj Veselý	Contact	: F&P Client Service
Address	: Hladnovská 83/93 Muglinov 712 00 Ostrava	Address	: Na Harfe 336/9 Prague 9 - Vysocany 190 00 Czech Republic
E-mail	: ----	E-mail	: czsupport.food@alsglobal.com
Telephone	: ----	Telephone	: +420 226 226 998
Project	: Stanovení účinné látky vitamínu A v produktu BRAINMAX WOMEN MULTIVITAMIN	Page	: 1 of 2
Order number	: 20250710/1	Date Samples Received	: 11-Jul-2025
		Quote number	: FP2025ROSHO-CZ0001 (CZ-114-25-5010)
Site	: ----	Date of test	: 11-Jul-2025 - 23-Jul-2025
Sampled by	:	QC Level	: ALS CR Standard Quality Control Schedule

General Comments

This report shall not be reproduced except in full, without prior written approval from the laboratory. The laboratory is not responsible for the sample data supplied by the customer and their impact on the validity of the result. The laboratory declares that the test results relate only to the listed samples. If "ALS" is not included in the test report in the "Sampled by" section, then the results refer to the sample as received.

Responsible for accuracy

Testing Laboratory No. 1163
Accredited by CAI according to
CSN EN ISO/IEC 17025:2018

Signatories

Kateřina Hubáčková

Position

Site Manager Food



GMP+ Registered Laboratory-GMP050490

The company is certified according to ČSN EN ISO 14001 (Environmental management systems) and ČSN ISO 45001 (Occupational health and safety management systems)

Sample Information

No. of samples received : 1
No. of samples analysed : 1

Date Samples Received
11-Jul-2025 09:00

When sampling date is not provided by the client, the laboratory determines it for procedural reasons, then it is equal to the date of receipt of the sample to the laboratory and is displayed in brackets.

Sub-Matrix : DIETARY SUPPLEMENT

Laboratory sample ID	Client sample ID	Client sampling date / time
FP2523840-001	BRAINMAX WOMEN MULTIVITAMIN 316240	10-Jul-2025 08:34



Analytical Results

Sub-Matrix: DIETARY SUPPLEMENT				Laboratory sample ID		FP2523840-001		-----	
				Client sampling date / time		10-Jul-2025 08:34		----	
Parameter	Method	LOR	Unit	Result	MU	Result	MU	Result	MU
Vitamins									
Vitamin A (Retinol)	B-VALCF02	0.50	mg/kg	63.3	± 15.0%	----	----	----	----

Measurement uncertainty is expressed as expanded measurement uncertainty with coverage factor k = 2, representing 95% confidence level.
Key: LOR = Limit of reporting; MU = Measurement Uncertainty. The MU does not include sampling uncertainty.

Brief Method Summaries

Analytical Methods	Method Descriptions
Location of test performance: Na Harfe 336/9 Prague 9 - Vysocany Czech Republic 190 00	
B-VALCF02	CZ_SOP_D06_09_206 (CSN EN 128 23-1, CSN EN 128 22) Determination of retinol and alpha tocopherol by liquid chromatography method with FLD detection.; Method uncertainty for food is 15% and for feed is 30%.

The symbol "*" for the method indicates a test outside the scope of accreditation of the laboratory or subcontractor. If the UNICO-SUB code is stated in the method table, this only informs that the tests have been performed by a subcontractor and the results are given in an annex to the test report, including information on test accreditation. If the lab used for matrix outside the scope of accreditation or non-standard sample matrix procedure specified in the accredited method and issues non-accredited results, this fact is stated on the title page of this protocol in the section "Notes". If the test report shows the results of subcontracting, the place of performance of the test is outside the laboratories of ALS Czech Republic, s.r.o.
The method for calculating of the summation parameters is available on request in the customer service.

The end of the certificate of analysis

Analytical report AR-25-HD-019433-02



Testing laboratory:

Eurofins Food & Feed Testing Czech Republic s.r.o.
 Zkušební laboratoř EUROFINS CZ
 Radiová 1285/7
 102 00 Praha 10 - Hostivař
 IČO: 27449408
 tel.: +420 778 488 111 E-mail: ClientService.cz@ftcee.eurofins.com

Issue date 07.08.2025

Sample code 540-2025-00025235

Sample reception date: 15.05.2025
 Date of Testing 15.05.2025 - 13.06.2025

Sample information:

Sample name, extended: ¹⁾ Brainmax Multivitamin Women
 Sample description: ¹⁾ 315047
 Client Purchase order nr.: 20250514

Additional sample description: Odběratel: BRAINMARKET s.r.o.

Physical and chemical tests

Parameter	Unit	1	2	Result	3	4	5	Uncertainty of measurement*	Method	TZ
Bruttosampleweight ofsupplied sample	kg	0.26						8%	SOP MB.005.PB	A
Capsule weight, whole	g/Capsule	1.05							Ph. Eur. 3th Ed., 1997, 2.9.5, 1315.01	SN
CoenzymeQ10	mg/Capsule	7.63						20%	0-24	SA
Folicacid	µg/100g	12000						2400.000		SN
Methyltetrahydrofolate(5-MTHF)	µg/100g	<5 (LOQ)								SN
Thiaminehydrochloride (vitamin B1-HCl)	mg/100 g	804						128.640		SA
Riboflavin(vitaminB2)	mg/100 g	585						93.600		SA
Pyridoxinecalc.asPyridoxal 5-PhosphateMonohydra	mg/100g	761						106.540	EN 14164:2014, mod.	SA
Pyridoxine(vitaminB6)	mg/100g	486						68.040	EN 14164:2014, mod.	SA
Pyridoxinecalc. asPyridoxal 5'-Phosphate	mg/100 g	710						99.400	EN 14164:2014, mod.	SA

Parameter	Unit	Result	Uncertainty of measurement*	Method	Method principle	TZ
-----------	------	--------	-----------------------------	--------	------------------	----

Testing performed on whole capsule Yes Testing on whole capsules SN

Decision rule: If the testing laboratory issues a statement of conformity, the decision-making rule according to ch. 4.2.1 of ILAC document G8:09/2019 Guidelines for the use of decision rules and statement of conformity. In such a case, the measurement uncertainty is not taken into account for the conformity statement. If measurement uncertainty is included the decision, this information is included in the statement of conformity. In such a case, proceed according to chap. 4.2.3 ILAC G8:09/2019.

Notes:

SOP, ŠPP - Standard operation procedure	TZ - type of test
ND - not detected by given method	A - test within the accreditation scope of EUROFINS CZ
CFU - Colony forming unit	N - test outside of the accreditation scope of EUROFINS CZ
NM - necessary quantity	SA - subcontracted accredited test
SN - subcontracted not accredited test	
* - the expanded measurement uncertainty, as determined by the extension coefficient $k = 2$ (with a 95% probability), does not include sampling uncertainty; if the measurement uncertainty is expressed in %, it is its relative value	
LOD – limit of detection, LOQ – limit of quantification, result between LOD and LOQ = detected	
1) - Information supplied by customer	
Unless otherwise stated in the notes, the place of the tests performance is workplace No. 1 - Prague - of EUROFINS CZ testing laboratory.	

If the information supplied by the customer could have be to affect the validity of the results, the laboratory disclaims responsibility. For samples supplied by the customer, the results relate to the sample as received and provided by the customer. The measuring devices and gauges used for the test / tests have been calibrated and verified according to valid metrological regulations. The results of the measurements relate only to the subject of the tests and do not replace other documents, e.g. of an administrative nature. The result identified as subcontracting in this protocol is the result of subcontractor measurements based on contract, order. The protocol may be reproduced or incorporated into promotional materials only with the written consent of the EUROFINS CZ Testing Laboratory and only to the extent of such approval. Any alteration, reproduction of part of the test report is not permitted and such analytical report automatically becomes invalid. The authenticity and completeness of the report can be verified at the EUROFINS CZ test laboratory stated in the header of analytical report. This Test Report has been issued in accordance with the applicable Conditions of service available on request and accessible at www.eurofins.cz.

Responsible for correctness: Jitka Pinkrová

Worked out by: Júlia Výbostoková

No. of document: 2025879243434

Validity check of document

<https://www.linktothedocument.com>



Test Certificate approved by:

Jitka Pinkrová

Head of Laboratory






CERTIFICATE OF ANALYSIS

Work Order	: FP2513134	Issue Date	: 27-Jun-2025
Client	: BRAINMARKET s.r.o.	Laboratory	: ALS Czech Republic, s.r.o.
Contact	: Matěj Veselý	Contact	: F&P Client Service
Address	: Hladnovská 83/93 Muglinov 712 00 Ostrava	Address	: Na Harfe 336/9 Prague 9 - Vysocany 190 00 Czech Republic
E-mail	: ----	E-mail	: czsupport.food@alsglobal.com
Telephone	: ----	Telephone	: +420 226 226 998
Project	: Stanovení hladiny účinné látky Vitamínu H v produktu Brainmax Women Multivitamin	Page	: 1 of 2
Order number	: 20250407	Date Samples Received	: 11-Apr-2025
		Quote number	: FP2025ROSHO-CZ0001 (CZ-114-25-5010)
Site	:	Date of test	: 14-Apr-2025 - 15-Apr-2025
Sampled by	:	QC Level	: ALS CR Standard Quality Control Schedule

General Comments

This report shall not be reproduced except in full, without prior written approval from the laboratory. The laboratory is not responsible for the sample data supplied by the customer and their impact on the validity of the result.

The laboratory declares that the test results relate only to the listed samples. If "ALS" is not included in the test report in the "Sampled by" section, then the results refer to the sample as received.

The method B-VB7ELI01, LOR of determined parameters may be increased due to character of the matrix/ sample preparation/ dilution of the sample.

Responsible for accuracy

Testing Laboratory No. 1163
Accredited by CAI according to
CSN EN ISO/IEC 17025:2018

Signatories

Kateřina Hubáčková

Position

Site Manager Food



GMP+ Registered Laboratory-GMP050490

The company is certified according to ČSN EN ISO 14001 (Environmental management systems) and ČSN ISO 45001 (Occupational health and safety management systems)

Sample Information

No. of samples received : 1
No. of samples analysed : 1

Date Samples Received
11-Apr-2025 09:00

When sampling date is not provided by the client, the laboratory determines it for procedural reasons, then it is equal to the date of receipt of the sample to the laboratory and is displayed in brackets.

Sub-Matrix : DIETARY SUPPLEMENT

Laboratory sample ID	Client sample ID	Client sampling date / time
FP2513134-001	Brainmax Women Multivitamin 314844	07-Apr-2025 08:10



Analytical Results

Sub-Matrix: DIETARY SUPPLEMENT				Laboratory sample ID		FP2513134-001		-----	
				Client sampling date / time		07-Apr-2025 08:10		----	
Parameter	Method	LOR	Unit	Result	MU	Result	MU	Result	MU
Vitamins									
Vitamin B7 (Biotin)	B-VB7ELI01	10.0	µg/kg	102000	± 30.0%	----	---	----	---

Measurement uncertainty is expressed as expanded measurement uncertainty with coverage factor k = 2, representing 95% confidence level.
Key: LOR = Limit of reporting; MU = Measurement Uncertainty. The MU does not include sampling uncertainty.

Brief Method Summaries

Analytical Methods	Method Descriptions
Location of test performance: Na Harfe 336/9 Prague 9 - Vysocany Czech Republic 190 00	
B-VB7ELI01	CZ_SOP_D06_09_220 (Demeditec Manual) Determination of biotin by ELISA method by commercial set

The symbol "*" for the method indicates a test outside the scope of accreditation of the laboratory or subcontractor. If the UNICO-SUB code is stated in the method table, this only informs that the tests have been performed by a subcontractor and the results are given in an annex to the test report, including information on test accreditation. If the lab used for matrix outside the scope of accreditation or non-standard sample matrix procedure specified in the accredited method and issues non-accredited results, this fact is stated on the title page of this protocol in the section "Notes". If the test report shows the results of subcontracting, the place of performance of the test is outside the laboratories of ALS Czech Republic, s.r.o.
The method for calculating of the summation parameters is available on request in the customer service.

The end of the certificate of analysis



CERTIFICATE OF ANALYSIS

Work Order	: FP2513135-AC	Issue Date	: 27-Jun-2025
Client	: BRAINMARKET s.r.o.	Laboratory	: ALS Czech Republic, s.r.o.
Contact	: Matěj Veselý	Contact	: F&P Client Service
Address	: Hladnovská 83/93 Muglinov 712 00 Ostrava	Address	: Na Harfe 336/9 Prague 9 - Vysocany 190 00 Czech Republic
E-mail	: ----	E-mail	: czsupport.food@alsglobal.com
Telephone	: ----	Telephone	: +420 226 226 998
Project	: Stanovení účinné látky řady vitamínů a minerálů v produktu BrainMax Women Multivitamin	Page	: 1 of 2
Order number	: 20250410	Date Samples Received	: 11-Apr-2025
		Quote number	: FP2025ROSHO-CZ0001 (CZ-114-25-5010)
Site	:	Date of test	: 14-Apr-2025 - 24-Apr-2025
Sampled by	:	QC Level	: ALS CR Standard Quality Control Schedule

General Comments

This report shall not be reproduced except in full, without prior written approval from the laboratory. The laboratory is not responsible for the sample data supplied by the customer and their impact on the validity of the result. The laboratory declares that the test results relate only to the listed samples. If "ALS" is not included in the test report in the "Sampled by" section, then the results refer to the sample as received.

Sample FP2513135/001, method B-METAXDG2 - Total chromium expressed as chromium picolinate = 237 mg/kg.

Responsible for accuracy

Testing Laboratory No. 1163
Accredited by CAI according to
CSN EN ISO/IEC 17025:2018

Signatories

Kateřina Hubáčková

Position

Site Manager Food



GMP+ Registered Laboratory-GMP050490

The company is certified according to ČSN EN ISO 14001 (Environmental management systems) and ČSN ISO 45001 (Occupational health and safety management systems)

Sample Information

No. of samples received : 1
No. of samples analysed : 1

Date Samples Received
11-Apr-2025 09:00

When sampling date is not provided by the client, the laboratory determines it for procedural reasons, then it is equal to the date of receipt of the sample to the laboratory and is displayed in brackets.



Sub-Matrix : DIETARY SUPPLEMENT

Laboratory sample ID	Client sample ID	Client sampling date / time
FP2513135-001	Brainmax Women Multivitamin 314989	10-Apr-2025 08:10

Analytical Results

Sub-Matrix: DIETARY SUPPLEMENT

Laboratory sample ID
Client sampling date / time

FP2513135-001	-----	-----
10-Apr-2025 08:10	----	----
ResultMU	ResultMU	ResultMU
29.4 ± 20.0%	----	----

Measurement uncertainty is expressed as expanded measurement uncertainty with coverage factor k = 2, representing 95% confidence level.
Key: LOR = Limit of reporting; MU = Measurement Uncertainty. The MU does not include sampling uncertainty.

Brief Method Summaries

Analytical Methods	Method Descriptions
Location of test performance: Na Harfe 336/9 Prague 9 - Vysocany Czech Republic 190 00	
B-METAXDG2	CZ_SOP_D06_09_001 (US EPA 200.7, ČSN EN ISO 11885, Determination of elements by atomic emission spectrometry with inductively coupled plasma and stoichiometric calculations of compounds concentration from measured values. Sample was homogenized and mineralized by acids and hydrogen peroxide prior to analysis.

The symbol "*" for the method indicates a test outside the scope of accreditation of the laboratory or subcontractor. If the UNICO-SUB code is stated in the method table, this only informs that the tests have been performed by a subcontractor and the results are given in an annex to the test report, including information on test accreditation. If the lab used for matrix outside the scope of accreditation or non-standard sample matrix procedure specified in the accredited method and issues non-accredited results, this fact is stated on the title page of this protocol in the section "Notes". If the test report shows the results of subcontracting, the place of performance of the test is outside the laboratories of ALS Czech Republic, s.r.o.
The method for calculating of the summation parameters is available on request in the customer service.

The end of the certificate of analysis



CERTIFICATE OF ANALYSIS

Work Order	: FP2529081	Issue Date	: 08-Sep-2025
Customer	: BRAINMARKET s.r.o.	Laboratory	: ALS Czech Republic, s.r.o.
Contact	: Matěj Veselý	Contact	: F&P Client Service
Address	: Hladnovská 83/93 Muglinov 712 00 Ostrava	Address	: Na Harfe 336/9 Prague 9 - Vysocany 190 00 Czech Republic
E-mail	: ----	E-mail	: czsupport.food@alsglobal.com
Telephone	: ----	Telephone	: +420 226 226 998
Project	: Stanovení účinné látky selenomethioninu v produktu BRAINMAX@WOMEN MULTIVITAMIN	Page	: 1 of 2
Order number	: 20250822/1	Date Samples Received	: 25-Aug-2025
		Quote number	: FP2025ROSHO-CZ0001 (CZ-114-25-5010)
Site	: ----	Date of test	: 25-Aug-2025 - 08-Sep-2025
Sampled by	: ----	QC Level	: ALS CR Standard Quality Control Schedule

General Comments

This report shall not be reproduced except in full, without prior written approval from the laboratory. The laboratory is not responsible for the sample data supplied by the customer and their impact on the validity of the result. The laboratory declares that the test results relate only to the listed samples. If "ALS" is not included in the test report in the "Sampled by" section, then the results refer to the sample as received.

Responsible for accuracy

Testing Laboratory No. 1163
Accredited by CAI according to
CSN EN ISO/IEC 17025:2018

Signatories

Kateřina Hubáčková

Position

Site Manager Food



GMP+ Registered Laboratory-GMP050490

The company is certified according to ČSN EN ISO 14001 (Environmental management systems) and ČSN ISO 45001 (Occupational health and safety management systems)

Sample Information

No. of samples received : 1
No. of samples analysed : 1

Date Samples Received
25-Aug-2025 09:00

When sampling date is not provided by the client, the laboratory determines it for procedural reasons, then it is equal to the date of receipt of the sample to the laboratory and is displayed in brackets.

Sub-Matrix : DIETARY SUPPLEMENT

Laboratory sample ID	Client sample ID	Client sampling date / time
FP2529081-001	BRAINMAX BRAINMAX WOMEN MULTIVITAMIN 316987	22-Aug-2025 09:01



Analytical Results

Sub-Matrix: DIETARY SUPPLEMENT				Laboratory sample ID		FP2529081-001		-----	
				Client sampling date / time		22-Aug-2025 09:01		----	
Parameter	Method	LOR	Unit	Result	MU	Result	MU	Result	MU
Total Metals / Major Cations									
Selenium	B-METMSDT2	0.50	mg/kg	39.3	± 20.0%	----	----	----	----

Measurement uncertainty is expressed as expanded measurement uncertainty with coverage factor k = 2, representing 95% confidence level.
Key: LOR = Limit of reporting; MU = Measurement Uncertainty. The MU does not include sampling uncertainty.

Brief Method Summaries

Analytical Methods	Method Descriptions
Location of test performance: Na Harfe 336/9 Prague 9 - Vysocany Czech Republic 190 00	
B-METMSDT2	CZ_SOP_D06_09_002 (US EPA 200.8, ČSN EN ISO 17294-2, ČSN EN 15111) Determination of elements by mass spectrometry with inductively coupled plasma and stoichiometric calculations of compounds concentration from measured values. Sample was homogenized and mineralized by acids and hydrogen peroxide prior to analysis.

The symbol "*" for the method indicates a test outside the scope of accreditation of the laboratory or subcontractor. If the UNICO-SUB code is stated in the method table, this only informs that the tests have been performed by a subcontractor and the results are given in an annex to the test report, including information on test accreditation. If the lab used for matrix outside the scope of accreditation or non-standard sample matrix procedure specified in the accredited method and issues non-accredited results, this fact is stated on the title page of this protocol in the section "Notes". If the test report shows the results of subcontracting, the place of performance of the test is outside the laboratories of ALS Czech Republic, s.r.o.
The method for calculating of the summation parameters is available on request in the customer service.

The end of the certificate of analysis



CERTIFICATE OF ANALYSIS

Work Order	: FP2510784-AE	Issue Date	: 27-Jun-2025
Client	: BRAINMARKET s.r.o.	Laboratory	: ALS Czech Republic, s.r.o.
Contact	: Matěj Veselý	Contact	: F&P Client Service
Address	: Hladnovská 83/93 Muglinov 712 00 Ostrava	Address	: Na Harfe 336/9 Prague 9 - Vysocany 190 00 Czech Republic
E-mail	: ----	E-mail	: czsupport.food@alsglobal.com
Telephone	: ----	Telephone	: +420 226 226 998
Project	: Stanovení účinné látky řady vitamínů a minerálů v produktu BrainMax Women Multivitamin	Page	: 1 of 2
Order number	: 20250325	Date Samples Received	: 26-Mar-2025
		Quote number	: FP2025ROSHO-CZ0001 (CZ-114-25-5010)
Site	:	Date of test	: 27-Mar-2025 - 25-Apr-2025
Sampled by	:	QC Level	: ALS CR Standard Quality Control Schedule

General Comments

This report shall not be reproduced except in full, without prior written approval from the laboratory. The laboratory is not responsible for the sample data supplied by the customer and their impact on the validity of the result. The laboratory declares that the test results relate only to the listed samples. If "ALS" is not included in the test report in the "Sampled by" section, then the results refer to the sample as received.

Responsible for accuracy

Testing Laboratory No. 1163
Accredited by CAI according to
CSN EN ISO/IEC 17025:2018

Signatories

Kateřina Hubáčková

Position

Site Manager Food



GMP+ Registered Laboratory-GMP050490

The company is certified according to ČSN EN ISO 14001 (Environmental management systems) and ČSN ISO 45001 (Occupational health and safety management systems)

Sample Information

No. of samples received : 1

Date Samples Received

No. of samples analysed : 1

26-Mar-2025 14:00

When sampling date is not provided by the client, the laboratory determines it for procedural reasons, then it is equal to the date of receipt of the sample to the laboratory and is displayed in brackets.

Sub-Matrix : DIETARY SUPPLEMENT

Laboratory sample ID	Client sample ID	Client sampling date / time
----------------------	------------------	-----------------------------



Sub-Matrix : DIETARY SUPPLEMENT

Laboratory sample ID	Client sample ID	Client sampling date / time
FP2510784-001	Brainmax Women Multivitamin 314420	25-Mar-2025 08:10

Analytical Results

Sub-Matrix: DIETARY SUPPLEMENT

Laboratory sample ID
Client sampling date / time

FP2510784-001

25-Mar-2025 08:10

Parameter	Method	LOR	Unit	Result	MU	Result	MU	Result	MU
Vitamins									
Vitamin D3	B-VDLCP02	12.5	µg/kg	5250	± 30.0%	----	----	----	----

Measurement uncertainty is expressed as expanded measurement uncertainty with coverage factor k = 2, representing 95% confidence level.
Key: LOR = Limit of reporting; MU = Measurement Uncertainty. The MU does not include sampling uncertainty.

Brief Method Summaries

Analytical Methods	Method Descriptions
Location of test performance: Na Harfe 336/9 Prague 9 - Vysocany Czech Republic 190 00	
B-VDLCP02	CZ_SOP_D06_09_229 (AN-1069 Thermo - application sheet) Determination of fat soluble vitamins (D2 and D3) by two-dimensional liquid chromatography method with PDA detection.

The symbol "*" for the method indicates a test outside the scope of accreditation of the laboratory or subcontractor. If the UNICO-SUB code is stated in the method table, this only informs that the tests have been performed by a subcontractor and the results are given in an annex to the test report, including information on test accreditation. If the lab used for matrix outside the scope of accreditation or non-standard sample matrix procedure specified in the accredited method and issues non-accredited results, this fact is stated on the title page of this protocol in the section "Notes". If the test report shows the results of subcontracting, the place of performance of the test is outside the laboratories of ALS Czech Republic, s.r.o.
The method for calculating of the summation parameters is available on request in the customer service.

The end of the certificate of analysis